

13- Right axis deviation occurs in ?

- A. Due to reversal of left and right arm electrodes
- B. Right ventricular overload
- C. Infarction of lateral wall of left ventricle
- D. All of the above

14- Left bundle branch block is often a marker of ?

- A. Ischemic heart disease
- B. Severe aortic valve disease
- C. Cardiomyopathy
- D. All of the above

15- Wellens T waves are usually associated with ?

- A. Stenosis of left anterior descending coronary artery
- B. Stenosis of posterior descending coronary artery
- C. Stenosis of left circumflex coronary artery
- D. Stenosis of right coronary artery

16- Chronic renal failure (CRF) is suspected if ECG shows ?

- A. Peaked T waves
- B. Long QT
- C. Left ventricular hypertrophy (LVH)
- D. All of the above

17- Transient deterioration in renal function in patients

- A. Adequate prehydration
- B. Preprocedure N-acetylcysteine
- C. Use of isoosmolar contrast agent
- D. All of the above

18- Epsilon waves in ECG are a feature of ?

- A. Wolff-Parkinson-White (WPW) syndrome
- B. Long QT syndrome
- C. Arrhythmogenic right ventricular dysplasia
- D. Brugada syndrome

19- In Tachycardia-bradycardia syndrome, which of the following is the most common tachycardia ?

- A. Atrial tachycardia
- B. Atrial flutter
- C. Atrial fibrillation
- D. Any of the above