20. Which of the following is the most common cause of obstructive jaundice in patients with chronic pancreatitis?

- a) Adenocarcinoma of the head of the pancreas
- b) Choledocholithiasis
- c) Fibrotic stricture of the common bile duct
- d) Pancreatic pseudocyst formation
- 21. The most common cause of death in the postoperative period following pancreaticoduodenectomy is which of the following?
 - a) Myocardial infarction
 - b) Intraperitoneal hemorrhage
 - c) Pulmonary embolism
 - d) Pneumonia
- 22. Which of the following features would be more consistent with Crohn's diseasé than with ulcerative colitis?
 - a) Transmural inflammation
 - b) Microscopic evidence of granulomas within mucosal biopsies
 - c) Microscopic evidence of submucosal thickening and fibrosis
 - d) Microscopic evidence of submucosal inflammation
- 23. Which of the following are tumor suppressor genes that have been associated with the development of colorectal cancer?
 - a) The DCC gene
 - b) The APC gene
 - c) The P53 gene
 - d) The Rb gene
- 24. Which of the following types of colonic polyps is associated with the highest incidence of malignant degeneration?
 - a) Tubular adenoma
 - b) Tubulovillous adenoma
 - c) Villous adenoma
 - d) Hamartomatous polyp